

LEXUS NX NEW GENERATION SPECIFICATION SHEET - FINAL

		Lexus NX 250 EX	Lexus NX 350 F SPORT	Lexus NX 350h SE	Lexus NX 350h EX	Lexus NX 350h F SPORT
TrimC1	Trim Code 1	EA21/Black,	LB23/F SPORT-Black,	LA20/Black,	EA21/Black,	LB23/F SPORT-Black
Seat1	1st Row Seat Configuration	2	2	2	2	2
Seat2	2nd Row Seat Configuration	3	3	3	3	3
TrimC2	Trim Code 2	EA41/Hazel,	LB33/F SPORT-Flare Red,	LA40/Hazel,	EA41/Hazel,	LB33/F SPORT-Flare Red
TrimC3	Trim Code 3	EA01/Rich Cream,	LB03/F SPORT-White,	LA00/Rich Cream,	EA01/Rich Cream,	LB03/F SPORT-White
TrimC4	Trim Code 4	EA31/Dark Rose,		LA30/Dark Rose,	EA31/Dark Rose	
Seats	Seating capacity	5	5	5	5	5
Body	Body Type	SUV	SUV	SUV	SUV	SUV
Paint						
O83	White Nova		Standard			Standard
O85	White Quartz	Standard		Standard	Standard	
IJ7	Sonic Titanium	Standard	Standard	Standard	Standard	Standard
212	Black	Optional	Optional	Optional	Optional	Optional
8X1	Poseidon Blue		Optional			Optional
223	Graphite Black GF	Optional	Optional	Optional	Optional	Optional
3T2	Madder Red	Optional	Optional	Optional	Optional	Optional
4Y1	Blazing Carnelian	Optional	Optional	Optional	Optional	Optional
6X4	Terrane Khaki	Optional	Optional	Optional	Optional	Optional
8Y6	Celestial Blue	Optional	Optional	Optional	Optional	Optional
1L1	Sonic Chrome	Standard	Standard	Standard	Standard	Standard
Engine and Drivetrain						
G2M	Adaptive Variable Suspension (AVS)		Standard			Standard
PMG5	Bore x Stroke (mm)	87.5x103.4	87.5x99.5	87.5x103.4	87.5x103.4	87.5x103.4
Drive	Driven Wheels	AWD	AWD	AWD	AWD	AWD
FuelS	Fuel System	Petrol-SFI +D-4S,	Petrol-SFI + D-4ST,	Petrol Hybrid-SFI +D-4S,	Petrol Hybrid-SFI +D-4S,	Petrol Hybrid-SFI +D-4S
PMG2	Maximum Power (kW @ r/min)	152@6600,	205@6000,	140@6000,	140@6000,	140@6000
PMG3	Maximum Torque (Nm @ r/min)	243@4000-5000,	430@1700-3600,	239@4300-4500,	239@4300-4500,	239@4300-4500
PMG1	Number of Cylinders and Arrangement	Inline-4,	Inline-4,	Inline-4,	Inline-4,	Inline-4
T1P	Starting System	Push Start	Push Start	Push Start	Push Start	Push Start
G2C	Suspension (Rear)	Double Wishbone-,	Double Wishbone-,	Double Wishbone-,	Double Wishbone-,	Double Wishbone-
Hyb2	Total System Output (kW)			179	179	179
TranSpd	Transmission	Automatic-8-speed,	Automatic-8-speed,	CVT	CVT	CVT
Turbo	Turbo Charger		Standard			
G2B	Suspension (Front)	MacPherson-,	MacPherson-,	MacPherson-,	MacPherson-,	MacPherson-
E1P	Paddle Shift	Standard	Standard	Standard	Standard	Standard
EngCap	Engine capacity (litre)	2.5	2.4	2.5	2.5	2.5
Exterior Features						
L6N	Daytime Running Light	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED
L2E	Door Outside Handles	Colour Coded-Smart Entry,	Colour Coded-Smart Entry,	Colour Coded-Smart Entry,	Colour Coded-Smart Entry,	Colour Coded-Smart Entry
K1B	Front Bumper	Colour Coded	F SPORT	Colour Coded	Colour Coded	F SPORT
L6K	Front Fog Lamps	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED
L6A	Headlights	LED-Auto High Beam,	LED-Adaptive High-beam System (AHS),	LED-Adaptive High-beam System (AHS),	LED-Auto High Beam,	LED-Adaptive High-beam System (AHS)
L6F	Headlamps Cleaner		Standard			Standard
L6C	Headlamp Levelling	Standard-Automatic,	Standard-Dynamic,	Standard-Dynamic,	Standard-Automatic,	Standard-Dynamic
L6M	Light Control System	Autocut	Autocut	Autocut	Autocut	Autocut
L2L	Luggage Boot / Rear Door	Standard-Power,	Standard-Power and Handsfree,	Standard-Power and Handsfree,	Standard-Power,	Standard-Power
L8A	Side Mirrors	Colour Coded,Electrochromatic,Heated,Power Retractable,	Gloss Black,Electrochromatic,Blind Spot Monitor (BSM),Heated,Camera,Reverse-linked Tilt,Power Retractable,	Colour Coded,Electrochromatic,Blind Spot Monitor (BSM),Heated,Camera,Reverse-linked Tilt,Power Retractable,	Colour Coded,Electrochromatic,Heated,Power Retractable,	Gloss Black,Electrochromatic,Blind Spot Monitor (BSM),Heated,Camera,Reverse-linked Tilt,Power Retractable
K2A	Front Grille	Black	F SPORT	Black	Black	F SPORT
K1C	Rear Bumper	Colour Coded	F SPORT	Colour Coded	Colour Coded	F SPORT
L7A	Rear Lights	LED	LED	LED	LED	LED
L7E	Rear Fog Lamp	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED,	Standard-LED
J3D	Front side Glass	UV cut,Green,Water Repellent	UV cut,Green,Acoustic,Water Repellent	UV cut,Green,Acoustic,Water Repellent	UV cut,Green,Acoustic,Water Repellent	UV cut,Green,Acoustic,Water Repellent
L4A	Front Window Wiper	Auto,Rainsensing	Auto,Rainsensing	Auto,Rainsensing	Auto,Rainsensing	Auto,Rainsensing
L4B	Rear Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent
L6H	Cornering lamp		Standard			Standard
Interior Features						
N6A	Cupholders	Standard-4,	Standard-4,	Standard-4,	Standard-4,	Standard-4
L2F	Door Inside Handles	Paint-Illumination,E-Latch,	Paint-Illumination,E-Latch,	Paint-Illumination,E-Latch,	Paint-Illumination,E-Latch,	Paint-Illumination,E-Latch
N2G	Door Scuff Plate	Standard	Standard-F SPORT,	Standard	Standard	Standard-F SPORT
N4A	Floor Carpet Trim	Carpet	Carpet	Carpet	Carpet	Carpet
R1J	Front Headrest	Adjustable-,	Adjustable-,	Adjustable-,	Adjustable-,	Adjustable-
L8B	Rear View Mirror	Electrochromatic (EC)	Digital	Digital	Electrochromatic (EC)	Digital
T5L	Key Reminder Warning	Standard-Buzzer,	Standard-Buzzer,	Standard-Buzzer,	Standard-Buzzer,	Standard-Buzzer
T3W	Meter Illumination Control	Standard	Standard	Standard	Standard	Standard
R1B	2nd Row Seats	60:40	60:40	60:40-Power,	60:40	60:40
R1H	Seat Trim	Synthetic Leather	Leather	Synthetic Leather	Synthetic Leather	Leather
E1J	Shift Lever & Knob	Leather	Leather,F SPORT	Leather	Leather	Leather,F SPORT
T3A	Speedometer	Digital	Digital	Digital	Digital	Digital
G1B	Steering Wheel	3 Spoke/Leather,	3 Spoke/F SPORT,	3 Spoke/Leather,	3 Spoke/Leather,	3 Spoke/F SPORT
Safety						
R5C	Airbag On-Off Switch	Standard	Standard	Standard	Standard	Standard
B3M	Anti-Theft System	Siren/Alarm,Glass Break Sensor,Tilt Sensor,	Siren/Alarm,Glass Break Sensor,Tilt Sensor,	Siren/Alarm,Glass Break Sensor,Tilt Sensor,	Siren/Alarm,Glass Break Sensor,Tilt Sensor,	Siren/Alarm,Glass Break Sensor,Tilt Sensor
L2B	Auto Door Lock	Standard-Speed Dependent,	Standard-Speed Dependent,	Standard-Speed Dependent,	Standard-Speed Dependent,	Standard-Speed Dependent
L2D	Child Lock	Standard	Standard	Standard	Standard	Standard
R4H	Child Restraint System (ISOFIX)	Standard-2,	Standard-2,	Standard-2,	Standard-2,	Standard-2
L7N	Emergency Brake Signal	Standard	Standard	Standard	Standard	Standard

G3C	Parking Brake	Electric	Electric	Electric	Electric	Electric
G3A	Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
R4A	Front Seat Belts	ELR,Pretensioner,Force Limiter,Tension Reducer	ELR,Pretensioner,Force Limiter,Tension Reducer	ELR,Pretensioner,Force Limiter,Tension Reducer	ELR,Pretensioner,Force Limiter,Tension Reducer	ELR,Pretensioner,Force Limiter,Tension Reducer
B3R	Pre-Crash System (Brake Synchronised)	Standard	Standard	Standard	Standard	Standard
G3B	Rear Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
R4B	Rear Seat Belts	Standard-ELR,	Standard-ELR,	Standard-ELR,	Standard-ELR,	Standard-ELR
T5E	Seat Belt Warning	Front + Rear/Buzzer + Light,	Front + Rear/Buzzer + Light,	Front + Rear/Buzzer + Light,	Front + Rear/Buzzer + Light,	Front + Rear/Buzzer + Light
L2C	Wireless Door Lock	Standard-Smart Entry,	Standard-Smart Entry,	Standard-Smart Entry,	Standard-Smart Entry,	Standard-Smart Entry
Airbags	Airbags	Side,Curtain,Driver,Passenger,Driver Knee	Side,Curtain,Driver,Passenger,Driver Knee	Side,Curtain,Driver,Passenger,Driver Knee	Side,Curtain,Driver,Passenger,Driver Knee	Side,Curtain,Driver,Passenger,Driver Knee
Driver Support Systems						
TSX	Tyre Pressure Monitor	Standard	Standard	Standard	Standard	Standard
U4B	Park Distance Control	Standard-Intelligent Clearance Sonar,Rear Cross Traffic Alert + Braking,	Standard-Intelligent Clearance Sonar,Rear Cross Traffic Alert + Braking,	Standard-Intelligent Clearance Sonar,Rear Cross Traffic Alert + Braking,	Standard-Intelligent Clearance Sonar,Rear Cross Traffic Alert + Braking,	Standard-Intelligent Clearance Sonar,Rear Cross Traffic Alert + Braking
G3H	Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard	Standard
U4N	Blind Spot Monitor (BSM)	Standard With Rear Cross Traffic Alert,Safe Exit Assist,	Standard With Rear Cross Traffic Alert,Safe Exit Assist,	Standard With Rear Cross Traffic Alert,Safe Exit Assist,	Standard With Rear Cross Traffic Alert,Safe Exit Assist,	Standard With Rear Cross Traffic Alert,Safe Exit Assist
G3H	Brake Assist (BA)	Standard	Standard	Standard	Standard	Standard
G3E	Electronic Brake Force Distribution (EBD)	Standard	Standard	Standard	Standard	Standard
G3M	Hill Assist Control (HAC)	Standard	Standard	Standard	Standard	Standard
D4S	Traction Control (TRC)	Standard	Standard	Standard	Standard	Standard
G3L	Vehicle Stability Control (VSC)	Standard	Standard	Standard	Standard	Standard
NA	Trailer Sway Control (TSC)	Standard	Standard	Standard	Standard	Standard
B3V	Drive Mode Select	Standard-Eco,Normal,Sport,	Standard-Eco,Normal,Sport,Sport S+,	Standard-Eco,Normal,Sport,	Standard-Eco,Normal,Sport,	Standard-Eco,Normal,Sport,Sport S+
NA	Downhill Assist Control (DAC)	Standard	Standard	Standard	Standard	Standard
U4K	Lane Keeping System	Standard-Steering Vibration,Lane Trace Assist,	Standard-Steering Vibration,Lane Trace Assist,	Standard-Steering Vibration,Lane Trace Assist,	Standard-Steering Vibration,Lane Trace Assist,	Standard-Steering Vibration,Lane Trace Assist
G3L	Active Cornering Assist (ACA)	Standard	Standard	Standard	Standard	Standard
Performance						
Accel	0-100 (sec)	9.1	7.0	7.7	7.7	7.7
TopSpd	Top Speed (km/h)	200	200	200	200	200
FuelCon	Fuel Consumption (Combined Cycle) (l/100km)	7.1	8.1	5.0	5.0	5.0
CO2	CO2 (g/km)	161	185	114	114	114
Service and Warranty						
ServInt2	Service Interval	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km
Wrmty2	Warranty	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km
MainPln2	Maintenance Plan	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km	7 years / 105,000km
Wheels & Tyres						
G4A	Wheel and Tyre	F:235-60 R18/R:235-60 R18,	F:235-50 R20/R:235-50 R20,	F:235-50 R20/R:235-50 R20,	F:235-60 R18/R:235-60 R18,	F:235-50 R20/R:235-50 R20
Styling						
K3B	Rear Spoiler	Standard-Roof Spoiler,	Standard-Roof Spoiler,	Standard-Roof Spoiler,	Standard-Roof Spoiler,	Standard-Roof Spoiler
K8B	Roof Rails	Standard	Standard	Standard	Standard	Standard
L1B	Roof		Panoramic	Panoramic		Panoramic
Convenience						
D4N	Cruise Control	Standard-Adaptive,All Speed,	Standard-Adaptive,All Speed,	Standard-Adaptive,All Speed,	Standard-Adaptive,All Speed,	Standard-Adaptive,All Speed
P4A	Airconditioner	Auto-Dual zone,	Auto-Dual zone,	Auto-Dual zone,	Auto-Dual zone,	Auto-Dual zone
U1A	Audio System	Lexus Premium/EMV,	Mark Levinson/EMV,	Mark Levinson/EMV,	Lexus Premium/EMV,	Mark Levinson/EMV
U4C	Reverse Camera	Display Audio	Display Audio/Panoramic View Monitor,	Display Audio/Panoramic View Monitor,	Display Audio	Display Audio/Panoramic View Monitor
U1G	Bluetooth	Standard	Standard	Standard	Standard	Standard
R1L	Front Armrest	Standard	Standard	Standard	Standard	Standard
R2A	Front Seat Adjustment	Driver + Passenger Power/Driver Memory,	Driver + Passenger Power/Driver Memory,	Driver + Passenger Power/Driver Memory,	Driver + Passenger Power/Driver Memory,	Driver + Passenger Power/Driver Memory
T3Y	Heads Up Display (HUD)	Standard	Standard	Standard	Standard	Standard
T3P	Multi-Information Display	Standard-TFT,	Standard-TFT,	Standard-TFT,	Standard-TFT,	Standard-TFT
U4A	Navigation System	Standard-EMV,	Standard-EMV,	Standard-EMV,	Standard-EMV,	Standard-EMV
T2F	Power Socket	Rear - 12V	Rear - 12V	Rear - 12V	Rear - 12V	Rear - 12V
G1C	Power Steering	Electric (EPS)	Electric (EPS)	Electric (EPS)	Electric (EPS)	Electric (EPS)
L2G	Electric Windows	All/All One Touch,	All/All One Touch,	All/All One Touch,	All/All One Touch,	All/All One Touch
R1M	Rear Armrest	Standard	Standard	Standard	Standard	Standard
R2R	Seat Heater	Standard-Driver and Passenger only,	Standard-Driver and Passenger only,	Standard-Front and Rear,	Standard-Driver and Passenger only,	Standard-Driver and Passenger only
R2G	Seat Lumbar Support	Driver 2-way,Power	Driver 2-way,Power	Driver 4-way,Power	Driver 2-way,Power	Driver 2-way,Power
R2V	Seat Ventilation	Standard-Front only,	Standard-Front only,	Standard-Front only,	Standard-Front only,	Standard-Front only
Audio2	Speakers	Standard-10,	Standard-17,	Standard-17,	Standard-10,	Standard-17
G1A	Steering Column Adjustments	Power/Tilt & Telescopic,	Power/Tilt & Telescopic,	Power/Tilt & Telescopic,	Power/Tilt & Telescopic,	Power/Tilt & Telescopic
T2H	Steering Switches	Standard-Audio,Info Display,Adaptive Cruise Control,Lane Trace Assist,	Standard-Audio,Info Display,Adaptive Cruise Control,Lane Trace Assist,	Standard-Audio,Info Display,Adaptive Cruise Control,Lane Trace Assist,	Standard-Audio,Info Display,Adaptive Cruise Control,Lane Trace Assist,	Standard-Audio,Info Display,Adaptive Cruise Control,Lane Trace Assist
N1D	Sun Visor	Standard-Mirror with Cover,Ticket Holder Driver + Passenger,	Standard-Mirror with Cover,Ticket Holder Driver + Passenger,	Standard-Mirror with Cover,Ticket Holder Driver + Passenger,	Standard-Mirror with Cover,Ticket Holder Driver + Passenger,	Standard-Mirror with Cover,Ticket Holder Driver + Passenger
U1M	USB	Standard-4,	Standard-4,	Standard-4,	Standard-4,	Standard-4
U3F	Wireless Charger	Standard	Standard	Standard	Standard	Standard
Audio3	Android Auto & Apple CarPlay	Standard	Standard	Standard	Standard	Standard
LCE	Lexus Connect Enabled	Standard	Standard	Standard	Standard	Standard
Dimensions and Capacities						
AppAngle	Approach Angle (°)	16.0	16.0	16.0	16.0	16.0
DepAng	Departure Angle (°)	25.0	25.0	25.0	25.0	25.0
FrOvh	Front Overhang (mm)	1007	1007	1007	1007	1007
FrTread	Front Tread (mm)	1605	1605	1605	1605	1605
D6F	Fuel Tank Size (L)	55	55	55	55	55
GCM	Gross Combination Mass (GCM)	3765	3870	2880	2880	2880
GrClear	Ground Clearance (mm)	185	195	195	185	195
GVM	Gross Vehicle Mass (GVM)	2265	2370	2380	2380	2380
Height	Height (mm)	1660	1670	1670	1660	1670
KerbW	Kerb Weight (kg)	1765	1860	1870	1870	1870
Length	Length (mm)	4660	4660	4660	4660	4660
LugCap	Luggage Capacity (L)	520	520	520	520	520
RrOvh	Rear Overhang (mm)	963	963	963	963	963
RrTread	Rear Tread (mm)	1625	1625	1625	1625	1625
TowUb	Towing Capacity - Unbraked (kg)	750	750	250	250	250

TowBr	Towing Capacity - Braked (kg)	1500	1500	500	500	500
TurnC	Turning circle (tyres, m)	5.8	5.8	5.8	5.8	5.8
WhlBase	Wheelbase (mm)	2690	2690	2690	2690	2690
Width	Width (mm)	1865	1865	1865	1865	1865
Key Specs						
Mass Data (kg)						
Performance (Sea Level)						
Rear Axle						
Parking Brakes						
Steering						
Transmission						
Front Axle						
Service Brakes						